CLAIMS

We claim:

1. A compound of formula I

$$X$$
 $(CH_2)_m$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$
 $(CH_2)_n$

5

I

or a pharmaceutically acceptable salt thereof wherein

Y is

- a) $-NHC(=W)R^1$,
- b) -O-het, -S-het, or -NH-het;
- 10 X is
- a) -O-,
- b) $-S(=O)_{i}$ -, or
- c) $-S(=O)(=NR^4)$ -;

W is

- 15 a) O, or
 - b) S;

 R^1 is

- a) H,
- b) C_{1-8} alkyl,
- 20 c) C₃₋₆cycloalkyl,
 - d) OC₁₋₄ alkyl,
 - e) SC_{1-4} alkyl,
 - f) NH_2 ,
 - g) NHC₁₋₆ alkyl, or
- 25 h) $N(C_{1-6} \text{ alkyl})_2$;

 R^2 is

- a) H,
- b) halo, or
- c) C₁₋₄ alkyl;
- R^3 is
- a) H,

one ring is aromatic;

C₁₋₈alkyl, b) aryl, c) het, d) $C(=W)R^5$, e) $C(=O)OR^6$, or f) 5 $S(=O)_i R^7;$ g) R^4 is H, or a) C₁₋₈alkyl; b) R⁵ is 10 a) H, b) aryl, c) het, NR⁸R⁹, or d) 15 C_{1-8} alkyl; e) R^6 is a) C₁₋₈alkyl, aryl, or b) c) het; R⁷ is 20 a) aryl, het, b) NR⁸R⁹, or c) C₁₋₈alkyl; d) R⁸ and R⁹ are independently 25 a) H, C₁₋₈alkyl, or b) c) aryl; wherein >G-E- is >N-C- and Q is a carbon atom, or >G-E is >C=C- and Q is a 30 nitrogen atom;

aryl is a phenyl radical or an ortho-fused bicyclic carbocyclic radical wherein at least

i is 0, 1, or 2.

20

30

het is a C-linked five- (5) or six- (6) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from the group consisting of oxygen, sulfur, and nitrogen, which is optionally fused to a benzene ring; at each occurrence, alkyl or cycloalkyl is optionally substituted with one or more OR⁸, halo, aryl, S(=O)_iR⁷, C(=W)R⁸, OC(=O)C₁₋₆alkyl, or NR⁸R⁹; at each occurrence, aryl is optionally substituted with one or more halo, OH, CF₃, OC₁₋₆alkyl, CN, C₁₋₆alkyl, S(=O)_iR⁷, C(=W)R⁸, OC(=O)R⁸, NHC(=O)R⁸, or NR⁸R⁹; at each occurrence, het is optionally substituted with one or more halo, OH, CF₃, OC₁₋₆alkyl, CN, C₁₋₆alkyl, S(=O)_iR⁷, C(=W)R⁸, OC(=O)R⁸, NHC(=O)R⁸, or NR⁸R⁹, oxo, or oxime; m is 0, 1, 2, 3, or 4; with the proviso that m and n taken together are 3 or 4; and

15 2. A compound of claim 1 which is a compound of formula IA:

$$X$$
 $(CH_2)_m$
 $(CH_2)_n$
 $(CH_2$

- 3. A compound of claim 2 wherein R^2 is H.
- 4. A compound of claim 2 wherein R^1 is C_{1-6} alkyl.
- 5. A compound of claim 2 wherein R^1 is methyl.
- 25 6. A compound of claim 4 wherein X is NR^3 .
 - 7. A compound of claim 6 wherein R^3 is $C(=0)R^5$, or $C(=0)OR^5$.
 - 8. A compound of claim 6 wherein R^3 is $C(=0)CH_2OH$.
 - 9. A compound of claim 6 wherein R^3 is CHO.

A compound of claim 7 wherein R⁵ is C₁₋₄alkyl, optionally substituted with 10. $C(=O)C_{1-4}alkyl$, $OC(=O)C_{1-4}alkyl$, C(=O)phenyl, or phenyl, wherein said phenyl is optionally substituted with I, or CF₃.

5

A compound of claim 7 wherein R⁵ is phenyl. 11.

A compound of claim 6 wherein R³ is C(=S)R⁵, wherein R⁵ is aryl, alkyl or 12. NR⁸R⁹, wherein R⁸ and R⁹ are independently H, C₁₋₄alkyl or aryl.

10

A compound of claim 6 wherein R^3 is $S(=O)_iC_{1-4}alkyl$, 13.

A compound of claim 6 wherein R³ is H, C₁₋₈alkyl, or aryl, . 14.

15

15. A compound of claim 6 or 7 wherein m is 1 and n is 3.

16.

A compound of claim 6 or 7 wherein m is 2 and n is 2.

20

17. A compound of claim 6 or 7 wherein m is 0 and n is 4.

18.

A compound of claim 6 or 7 wherein m is 2 and n is 1. 19.

A compound of claim 6 or 7 wherein m is 1 and n is 2.

25

20. A compound of claim 4 wherein X is S, SO, or SO_2 .

21. A compound of claim 4 wherein X is O.

30

22. A compound of claim 20 or 21 wherein m is 1 and n is 2.

- A compound of claim 20 or 21 wherein m is 2 and n is 1. 23.
- 24.
- A compound of claim 20 or 21 wherein m is 2 and n is 2.

25. A compound of claim 1 which is a compound of formula IB:

$$X$$
 $(CH_2)_m$
 A
het

 \mathbb{B}

wherein A is O, S or NH and het is isoxazol-3-yl, isoxazol-5-yl, 1,2,4-oxadiazol-3-yl, isothiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,2,5-thiadiazol-3-yl.

26. A compound of claim 1 which is a compound of formula IC:

$$X$$
 $(CH_2)_m$
 $(CH_2)_n$
 $(CH_2$

IC.

10

15

5

27. A compound of claim 1 which is a compound of formula ID

$$X$$
 $(CH_2)_m$
 $(CH_2)_n$
 A
het

ID

wherein A is O, S or NH and het is isoxazol-3-yl, isoxazol-5-yl, 1,2,4-oxadiazol-3-yl, isothiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,2,5-thiadiazol-3-yl.

- 28. A method for treating microbial infections comprising: administering to a mammal in need thereof an effective amount of a compound of claim 1.
- 29. The method of claim 28 wherein said compound is administered orally, parenterally, transdermally, or topically.
 - 30. The method of claim 28 wherein said compound is administered in an amount of from about 0.1 to about 150 mg/kg of body weight/day.

- 31. The method of claim 28 wherein said compound is administered in an amount of from about 3 to about 100 mg/kg of body weight/day.
- 32. The method of claim 28 wherein said infection is skin infection.

5

- 33. The method of claim 28 wherein the infection is eye infection.
- 34. A pharmaceutical composition comprising the compound of claim 1 and a pharmaceutically acceptable carrier.

10

- 35. The method of claim 28 wherein said compound is administered in an amount of 600mg per day by IV or by oral.
- 36. The method of claim 22 wherein said mammal is human or an animal.

15

20

- 37. A compound of claim 1 which is
- a) (-)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzopyran-6-yl)-2-oxo-5-oxazolidinyl]methyl]acetamide,
- b) (+)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzopyran-6-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide,
- c) (-)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzothiopyran-6-yl)-2-oxo-5-oxazolidinyl]methyl]acetamide,
- d) (+)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzothiopyran-6-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide, or
- e) (+)-N-[[(5S)-3-(3,4-dihydro-2,2-dioxido-1H-2-benzothiopyran-6-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide.
 - 38. A compound of claim 1 which is
 - a) (+)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzopyran-7-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide,
 - b) (-)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzothiopyran-7-yl)-2-oxo-5-oxazolidinyl]methyl]acetamide,
 - c) (+)-N-[[(5S)-3-(3,4-dihydro-1H-2-benzothiopyran-7-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide,

- d) (+)-N-[[(5S)-3-(3,4-dihydro-2,2-dioxido-1H-2-benzothiopyran-7-yl)-2-oxo-5-oxazolidinyl]methyl]ethanethioamide, or
- e) N-[[(5S)-3-(3,4-dihydro-2-oxido-1H-2-benzothiopyran-7-yl)-2-oxo-5-oxazolidinyl]methyl]acetamide.

5

- 39. A compound of claim 1 which is
- a) N-{[(5S)-3-(3-formyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
- b) N-{[(5S)-3-(3-glycoloyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
 - c) benzyl 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,2,4,5-tetrahydro-3H-3-benzazepine-3-carboxylate,
 - d) N-{[(5S)-3-(3-glycoloyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}ethanethioamide,
- N-{[(5S)-3-(3-acetyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
 - f) methyl 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,2,4,5-tetrahydro-3H-3-benzazepine-3-carboxylate,
 - g) N-{[(5S)-3-(3-benzoyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
 - h) N-({(5S)-3-[3-(5-amino-1,3,4-thiadiazol-2-yl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide
 - i) N-({(5S)-3-[3-(methylsulfonyl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide,
- 25 j) N-({(5S)-3-[3-(5-methylthio-1,3,4-thiadiazol-2-yl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide,
 - k) N-({(5S)-3-[3-(5-methyl-1,3,4-thiadiazol-2-yl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl]-2-oxo-1,3-oxazolidin-5-yl}methyl)acetamide,
- l) phenyl 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,2,4,5-30 tetrahydro-3H-3-benzazepine-3-carboxylate,
 - m) N-[((5S)-3-{3-(phenyl)acetyl-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide,
 - o) N-[((5S)-3-{3-[5-(formylamino)-1,3,4-thiadiazol-2-yl]-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide,

- p) N-[5-(7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,2,4,5-tetrahydro-3H-3-benzazepin-3-yl)-1,3,4-thiadiazol-2-yl]-2-hydroxyacetamide,
- q) N-[((5S)-3-{3-[(4-iodophenyl)acetyl]-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide,
- 5 r) N-[((5S)-3-{3-[(3-trifluoromethyl)phenyl)acetyl]-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide,
 - s) 2-(7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,2,4,5-tetrahydro-3H-3-benzazepin-3-yl)-2-oxoethyl 4-[(dimethylamino)methyl] benzoate,
- t) N-[((5S)-3-{3-[(4-trifluoromethyl)phenyl)acetyl]-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-2-oxo-1,3-oxazolidin-5-yl)methyl]acetamide,
 - u) N-({(5S)-2-oxo-3-[3-(5-oxopentanoyl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl]-1,3-oxazolidin-5-yl}methyl)acetamide,
- v) N-({(5S)-2-oxo-3-[3-(5-oxohexanoyl)-1,2,4,5-tetrahydro-1H-3-benzazepin-7-yl}-1,3-oxazolidin-5-yl} methyl)acetamide,
 - x) N-{[(5S)-3-(2-formyl-1,3,4,5-tetrahydro-1H-2-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
 - w) N-{[(5S)-3-(2-glycoloyl-1,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
- 20 x) benzyl 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,3,4,5-tetrahydro-3H-2-benzazepine-2-carboxylate,
 - y) N-{[(5S)-3-(2-acetyl-1,3,4,5-tetrahydro-1H-2-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide,
 - z) methyl 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-1,3,4,5-tetrahydro-3H-2-benzazepine-2-carboxylate,
 - aa) 7-{(5S)-5-[(acetylamino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-N-phenyl-1,3,4,5-tetrahydro-2H-2-benzazepine-2-carboxamide,
 - bb) N-{[(5S)-3-(1-formyl-2,3,4,5-tetrahydro-1H-1-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}acetamide, or
- 30 cc) N-{[(5S)-3-(1-formyl-2,3,4,5-tetrahydro-1H-1-benzazepin-7-yl)-2-oxo-1,3-oxazolidin-5-yl]methyl}ethanethioamide.
 - 40. A compound of claim 1 which is

25

a) N-[[(5S)-2-oxo-3-(1,2,4,5-tetrahydro-3-benzothiepin-7-yl)-

- 5-oxazolidinyl]methyl]acetamide,
- b) N-[[(5S)-2-oxo-3-(1,2,4,5-tetrahydro-3,3-dioxido-3-benzothiepin-7-yl)- 5-oxazolidinyl]methyl]acetamide,
- c) N-[[(5S)-2-oxo-3-(1,2,4,5-tetrahydro-3-benzothiepin-7-yl)-5-oxazolidinyl]methyl]ethanethioamide, or
 - d) N-[[(5S)-2-oxo-3-(1,2,4,5-tetrahydro-3,3-dioxido-3-benzothiepin-7-yl)-5-oxazolidinyl]methyl]ethanethioamide.